



HOGERON®

aquama® Hogeron® Indigo® is equipped with the only technology in the world that produces a solution that simultaneously combines a detergent with a disinfectant using water, salt and electricity.



Solution produced

- pH: 8,5 – 9,5
- Salinity: <3.5% (depending on the type of solution produced)
- FAOx: 50 ppm - 2,000 ppm (depending on the reactor option chosen)
- RX: 750 - 1100 mV
- NaOCL: max. 2% Sodium hypochlorite water / H2O:> 99.98%

Machine

- Material: aluminum
- Automatic start / stop
- Filling 600 ml spray - 3 L / min or 15 L / min gun via the application or RFID badge (optional)
- Water quality: drinkable (more requires a complementary installation)
- Production (see price table on page 2): 50 ppm / 150 ppm / 500 ppm / 1000 ppm / 2000ppm
- Temperature of water intake (min – max): 10 – 20°C (ideally use cold water)
- Pressure: 3 bars
- Storage tank of 100 litres
- Salt reservoir of 35 litres
- Sound emission: < 65 dB(A)
- Electric connection: 110V/220 V, 50/60 Hz, 600W
- Standards: EN1276, EN1650, EN13697, EN14476, EN14476+A2 and EN16777
- Warranty: 3 years
- Delivery waiting time: 3 to 6 weeks from reception of payment
- Swiss Quality - Made in Germany

Check if controlled

Installation check-list	Specifications
Machine size (cm) and weight (kg)	126H x 74P x 85L, 100kg
Electric connection	110 - 220 VAC - Monophase
Water intake, pressure	Via 3/4" connection, water inlet, 3 bars
Evacuation	Drainage through a siphon
Services included	Salt, pressure reducer unit 50µ, services*

































*Do not open the machine. The warranty could be nullified.



aquama®

Indigo®

Disinfectant & detergent


COMPOSITION	 +  +  +  = 
SECTOR	 Hospital  Hotel  Airport  University  Transports  Restaurants 
METHOD	 Spray  Microfiber  Bucket  Injection  Carpet cleaner
APPLICATION	 Kitchen  Meeting room  Office  Windows  Bathroom  Textile*  Cars  Hands*
SURFACE	 Marble  Linoleum / PVC  Parquet  Tiling  Carpet

* max 1,000ppm


Prices: purchase from 13,280 CHF + litres charged separately according to the power level.

	CLIENT GROUP					
	Historical Client	Owner	Owner Group	Professional with machine	Professional without machine	Private Client
USAGE LIGHT (detergence) 1'011L	0.05	0.07	0.07	0.23	0.33	1.66
NORMAL (Bactericide / yeasticide only) CHZN3975 / 629L	0.15	0.23	0.23	0.49	0.99	4.98
MEDIUM (Virucide Clean conditions) CHZN5805 / 358L	0.23	0.35	0.35	0.99	1.49	7.47
HIGH (Virucide dirty conditions) CHZN5805 / 170L	0.3	0.46	0.46	1.49	1.98	9.96
HAND DISINFECTION CHZA0023 / 245L	1.29	1.98	1.98	4.98	4.98	4.98

aquama® obtained the EN14476 standard, which measures the effectiveness of products on all encapsulated and non-encapsulated viruses, such as the coronavirus, EN/CH/BS14476 Virucide standard and EN14476+A2 (hand disinfection) at 1,000 ppm on clean surfaces. Solution approved by the Federal Office of Public Health (Suisse-BAG).



Connect via the aquama® application to take control of the machine.



Company owning the machine:

Sanitary company: Manager:

Address: Signature:

